

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	quad with packet with (list table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:31
L2	0	1 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:27
L3	9703	packet with (list table) with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:34
L4	9873	packet with (list table) with (routing forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:27
L5	945	4 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:28
L6	219	5 and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:28
L7	597	4 same TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:28
L8	44	7 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:35
L9	35	quad with packet with (rout\$3 forward\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:30

EAST Search History

L10	0	9 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:30
L11	2	"6598081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:33
L12	2	"6006268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:33
L13	221	TCP with packet with (list table) with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:34
L14	13	13 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:14
L15	56	(list table) with (accepted permitted) adj2 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:43
L16	7	15 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:13
L17	8703	packet with (table list) with (routing forwarding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:14
L18	199	TCP with packet with (table list) with (routing forwarding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:19
L19	10	18 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:19

EAST Search History

L20	34	local with remote with packet with (table list) with (routing forwarding)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:19
L21	3	20 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:19
S1	18558	709/223-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 07:47
S2	22	((("5319712") or ("5592611") or ("5778174") or ("5781550") or ("5802320") or ("5828846") or ("5941988") or ("6006268") or ("6052788") or ("6167438") or ("6182141")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:32
S3	66	alternate adj (path connection) with (proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:01
S4	2	S3 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 12:25
S5	444	proxy with transport with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:01
S6	18	S5 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:05
S7	363	(select\$3 determin\$3) adj3 connection with (proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:04

EAST Search History

S8	34	S7 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:14
S9	7	proxy with bypass\$3 with transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:14
S10	1	S9 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:36
S11	77	bypass\$4 with transport adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 08:36
S12	8	S11 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:24
S13	2	"6718550".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:25
S14	9	S2 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:25
S15	1	S13 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:27
S16	0	S13 and ack\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:27
S17	0	S13 and checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:27

EAST Search History

S18	1	S13 and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 09:27
S19	1	S13 and secur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 10:04
S20	1	"6006268".pn. and checksum and ack\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 10:41
S21	9894	709/203,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/16 10:41
S22	12	TCP/IP with acknowledg\$ same checksum with check\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:21
S23	1	S22 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:22
S24	31	transport with acknowledg\$ same checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:22
S25	3	S24 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:29
S26	2	"6718550".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:29
S27	1	S26 and TCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/17 07:29

EAST Search History

S28	22	((("5319712") or ("5592611") or ("5778174") or ("5781550") or ("5802320") or ("5828846") or ("5941988") or ("6006268") or ("6052788") or ("6167438") or ("6182141"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/13 13:32
S29	22	S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:32
S30	68	alternate adj (path connection) with (proxy gateway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:32
S31	2	S30 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:32
S32	2	S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:32
S33	485	proxy with transport with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S34	485	S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S35	7	proxy with bypass\$3 with transport	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S36	1	S35 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33

EAST Search History

S37	1	S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S38	31	transport with acknowledg\$ same checksum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S39	3	S38 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S40	3	S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:33
S41	83	bypass\$4 with transport adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:39
S42	8	S41 and @ad<"19970731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:39
S43	8	S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:39